

**Notice of Allowability**

Application No.

10/654,853

Examiner

Charles Goodman

Applicant(s)

JOLKOVSKI, ROBERT M.

Art Unit

3724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment filed on 9/4/03.
2. ☒ The allowed claim(s) is/are 1-7.
3. ☒ The drawings filed on 04 September 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
CHARLES GOODMAN  
PRIMARY EXAMINER

### **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance:

The prior art of record do not anticipate nor do they reasonably suggest the miter saw fence as claimed in claim 1. The closest prior art, Pistorius et al (US 5,327,653), teaches a miter linear measurement gage comprising, inter alia, a carrier platform (e.g. near 26); an elongate bar pointer (e.g. 22); and a measuring means (e.g. at 20). Fig. 1. However, Pistorius et al lacks the pointer disposed and structured as claimed. Another related prior art, Huntley et al (US 3,941,020), teaches an apparatus for cutting workpieces comprising, inter alia, an elongate bar pointer (42) having a notched free end (43) disposed as claimed. However, due to the design of Pistorius et al's device, it is the Examiner's opinion that there is no teaching or suggestion to combine the pointer of Huntley et al, since the pointer of Pistorius et al is parallel to the fence portion whereas in Huntley et al, the pointer is at an angle to the fence. Conversely, while it may be obvious to provide the digital measuring means to of Pistorius et al to the fence assembly of Huntley et al, Huntley et al lacks vertical rail elements that are spaced apart and coextensive defining the fence. Note Fig. 4 of Huntley et al. Due to the construction of the rail (e.g. 32) as being continuous rather than spaced apart, it is believed that there would be no teaching or suggestion in the references to modify the same. Thus, it is the Examiner's opinion that the above noted lacking features in combination with all the other recited elements of the claim is allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 3724

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles Goodman whose telephone number is (571) 272-4508. The examiner can normally be reached on Monday-Thursday between 7:30 AM to 6:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Allan Shoap, can be reached on (571) 272-4514. In lieu of mailing, it is encouraged that all formal responses be faxed to (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at (866) 217-9197 (toll-free).

cg  
February 6, 2005

  
**Charles Goodman**  
**Primary Examiner**  
**AU 3724**

CHARLES GOODMAN  
PRIMARY EXAMINER